finance_calculator Release 0.0.6

Nov 09, 2020

Contents

1	Overview 1.1 Installation 1.2 Documentation 1.3 Development	5 5 6				
2	Installation					
3	Usage	9				
4	Reference 4.1 finance_calculator	11 11				
5	Contributing5.1Bug reports5.2Documentation improvements5.3Feature requests and feedback5.4Development	13 13 13 13 13 14				
6	Authors	15				
7	Changelog 7.1 0.0.0 (2020-07-29)	17 17				
8	Indices and tables	19				
Ру	Python Module Index					
In	Index					

Alpha describes a strategy's ability to beat the market, or it's "edge." Alpha is thus also often referred to as "excess return" or "abnormal rate of return," which refers to the idea that markets are efficient, and so there is no way to systematically earn returns that exceed the broad market as a whole. Alpha is often used in conjunction with beta (the Greek letter β), which measures the broad market's overall volatility or risk, known as systematic market risk. (Investopedia)

Parameters

- nav_data -
- benchmark_nav_data -
- risk_free_rate float
- window int
- annualiser int
- tail bool

Returns

Beta is a measure of the volatility—or systematic risk—of a security or portfolio compared to the market as a whole. Beta is used in the capital asset pricing model (CAPM), which describes the relationship between systematic risk and expected return for assets (usually stocks). CAPM is widely used as a method for pricing risky securities and for generating estimates of the expected returns of assets, considering both the risk of those assets and the cost of capital. (Investopedia)

Parameters

- nav_data -
- benchmark_nav_data -
- risk_free_rate float
- window int
- annualiser int
- tail bool

src.finance_calculator.api.get_downside_capture(nav_data, benchmark_nav_data, risk_free_rate=None, window=750,

annualiser=250, tail=True)

The down-market capture ratio is a statistical measure of an investment manager's overall performance in downmarkets. It is used to evaluate how well an investment manager performed relative to an index during periods when that index has dropped. The ratio is calculated by dividing the manager's returns by the returns of the index during the down-market and multiplying that factor by 100. (Investopedia)

Parameters

- nav_data -
- benchmark_nav_data -
- risk_free_rate float
- window int
- annualiser int
- tail bool

Returns

src.finance_calculator.api.get_drawdown (nav_data, window=750. annualiser=250,

tail=True)

A drawdown is a peak-to-trough decline during a specific period for an investment, trading account, or fund. A drawdown is usually quoted as the percentage between the peak and the subsequent trough. If a trading account has \$10,000 in it, and the funds drop to \$9,000 before moving back above \$10,000, then the trading account witnessed a 10% drawdown. (Investopedia)

window is about the rolling window for which the calculation is to be done annualiser is an int which can be understood as the number of entries we have in a year. We are using it to annualise values ans

Parameters

- nav data -
- window int
- annualiser int
- tail bool

Returns



returns a ratio calculator instance which can be used to call functions as below >>> import finance_calculator as fc >>> rc = fc.get_ratio_calculator(nav_data, benchmark_nav_data) >>> beta_df = rc.get_beta(window=250*3) >>> alpha df = rc.get alpha(window=250*3) benefit is that the data pre processing would not happen multiple time if you have to get multiple ratios on the same data-set. You need to pass window value separately for each function

Parameters

- nav data –
- benchmark_nav_data -
- risk free rate float
- annualiser int

Returns

benchmark_nav_data, src.finance_calculator.api.get_sharpe(nav_data,

risk_free_rate=None, window=750, annualiser=250,

```
tail=True)
```

The Sharpe ratio was developed by Nobel laureate William F. Sharpe and is used to help investors understand the return of an investment compared to its risk. The ratio is the average return earned in excess of the risk-free rate per unit of volatility or total risk. Volatility is a measure of the price fluctuations of an asset or portfolio. (Investopedia)

Parameters

- nav_data -
- benchmark nav data -
- risk free rate float
- window int
- annualiser int

• tail - bool

Returns

```
src.finance_calculator.api.get_sortino(nav_data,
```

benchmark_nav_data, window=750, annu-

risk_free_rate=None, aliser=250, tail=True)

The Sortino ratio is a variation of the Sharpe ratio that differentiates harmful volatility from total overall volatility by using the asset's standard deviation of negative portfolio returns—downside deviation—instead of the total standard deviation of portfolio returns. The Sortino ratio takes an asset or portfolio's return and subtracts the risk-free rate, and then divides that amount by the asset's downside deviation. (Investopedia)

Parameters

- nav_data -
- benchmark_nav_data -
- risk_free_rate float
- window int
- annualiser int
- tail bool

Returns

src.finance_calculator.api.get_treynor(nav_data, risk_free_rate=None, window=750, annu-

aliser=250, tail=True)

The Treynor ratio, also known as the reward-to-volatility ratio, is a performance metric for determining how much excess return was generated for each unit of risk taken on by a portfolio. (Investopedia)

Parameters

- nav_data -
- benchmark_nav_data -
- risk_free_rate float
- window int
- annualiser int
- tail bool

Returns

```
src.finance_calculator.api.get_upside_capture(nav_data, benchmark_nav_data,
risk_free_rate=None, window=750,
annualiser=250, tail=True)
```

The up-market capture ratio is the statistical measure of an investment manager's overall performance in upmarkets. It is used to evaluate how well an investment manager performed relative to an index during periods when that index has risen. The ratio is calculated by dividing the manager's returns by the returns of the index during the up-market and multiplying that factor by 100. (Investopedia)

Parameters

- nav_data -
- benchmark_nav_data -
- risk_free_rate float
- window int

- annualiser int
- tail bool

Returns

src.finance_calculator.api.get_volatility(nav_data, window=750, annualiser=250,

tail=True)

Volatility is a statistical measure of the dispersion of returns for a given security or market index. In most cases, the higher the volatility, the riskier the security. Volatility is often measured as either the standard deviation or variance between returns from that same security or market index. (Investopedia)

Parameters

- nav_data -
- window str
- annualiser int
- tail bool

Returns

src.finance_calculator.api.get_xirr(cashflows) → int

Returns Excel style xirr IRR: The internal rate of return is a metric used in financial analysis to estimate the profitability of potential investments. The internal rate of return is a discount rate that makes the net present value (NPV) of all cash flows equal to zero in a discounted cash flow analysis. IRR calculations rely on the same formula as NPV does. XIRR is used when the cash flow model does not exactly have annual periodic cash flows. (Investopedia)

Parameters cashflows -

Returns int

Overview

docs	
tests	
package	

A simple python tool for calculating ratios used to measure portfolio performance. Ratios include alpha, beta, sharpe, volatility, upside capture, downside capture, sortino ratio, treynor ratio, drawdown etc.

It also can be used to calculating portfolio returns like XIRR. (twirr, holding period return etc. will be added).

The tool is largely based on pandas and numpy and is capable of giving continuous (rolling) values of ratios wherever required in the form of a pandas dataframe. All data (portfolio/ navs/ market) needs to be passed in arguments based on the function getting called.

For example - XIRR can be calculated from portfolio cashflows [(date, amount)]. - Sharpe ratio will need scheme/portfolio nav [(date, nav)]. - Alpha will need both scheme nav as well as benchmark nav.

For definitions of above terms, check Investopedia. You can find the examples of few of these ratios here. https://www.valueresearchonline.com/funds/197/sbi-large-and-midcap-fund

• Free software: BSD 2-Clause License

1.1 Installation

pip install finance-calculator

You can also install the in-development version with:

pip install https://github.com/sprksh/finance-calculator/archive/master.zip

1.2 Documentation

https://finance-calculator.readthedocs.io/

1.3 Development

To run all the tests run:

tox

Note, to combine the coverage data from all the tox environments run:

Windows	
	set PYTEST_ADDOPTS=cov-append
	tox
Other	
	PYTEST_ADDOPTS=cov-append tox

Values Reference:

https://www.valueresearchonline.com/funds/197/sbi-large-and-midcap-fund

Installation

At the command line:

pip install finance-calculator

Usage

To use finance_calculator in a project:

import finance_calculator as fc

```
drawdown = fc.get_drawdown(scheme_data, 250, 22)
volatility = fc.get_volatility(scheme_data, 250, 22)
sharpe = fc.get_sharpe(scheme_data, 250, 22)
sortino = fc.get_sortino(scheme_data, 250, 22)
treynor = fc.get_treynor(scheme_data, benchmark_data, 250, 22)
alpha = fc.get_alpha(scheme_data, benchmark_data, 250, 22)
beta = fc.get_beta(scheme_data, benchmark_data, 250, 22)
upside_capture = fc.get_upside_capture(scheme_data, benchmark_data, 250, 22)
downside_capture = fc.get_downside_capture(scheme_data, benchmark_data, 250, 22)
```

If you want only current value of a given ratio, you can use tail=True as a keyword argument in all of these functions. With tail=False it will give a pandas dataframe with values in a rolling window fashion.

The scheme data and the benchmark data can either be a pandas dataframe or list of tuples: (date, nav).

Also you can use it to calculate xirr:

```
>>> import finance_calculator as fc
>>> cashflow_data = [
    (datetime.date(2020, 3, 1), 10000),
    (datetime.date(2020, 4, 1), 10000),
    (datetime.date(2020, 5, 1), 10000),
    (datetime.date(2020, 6, 1), 10000),
    (datetime.date(2020, 7, 1), 10000),
    (datetime.date(2020, 8, 1), -60000),
]
>>> xirr = fc.get_xirr(cashflow_data)
```

Reference

4.1 finance_calculator

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When reporting a bug please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

finance_calculator could always use more documentation, whether as part of the official finance_calculator docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at https://github.com/sprksh/finance-calculator/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up finance_calculator for local development:

- 1. Fork finance_calculator (look for the "Fork" button).
- 2. Clone your fork locally:

git clone git@github.com:YOURGITHUBNAME/finance_calculator.git

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you're done making changes run all the checks and docs builder with tox one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .
git commit -m "Your detailed description of your changes."
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you're developing the code just make the pull request.

For merging, you should:

- 1. Include passing tests $(run tox)^1$.
- 2. Update documentation when there's new API, functionality etc.
- 3. Add a note to CHANGELOG.rst about the changes.
- 4. Add yourself to AUTHORS.rst.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- pytest -k test_myfeature
```

To run all the test environments in *parallel* (you need to pip install detox):

detox

It will be slower though ...

¹ If you don't have all the necessary python versions available locally you can rely on Travis - it will run the tests for each change you add in the pull request.

Authors

• Surya Prakash - https://sprksh.github.io/

Changelog

7.1 0.0.0 (2020-07-29)

• First release on PyPI.

CHAPTER $\mathbf{8}$

Indices and tables

- genindex
- modindex
- search

Python Module Index

f

finance_calculator,11

S

src.finance_calculator.api,??

Index

F

finance_calculator (module), 11

G

get_alpha() (in module src.	.finance_calcul	ator.api), 1
get_beta() (in module src.f	inance_calcula	tor.api), 1
get_downside_capture() (in	module
src.finance_calculato	r.api), 1	
get_drawdown()	(in	module
src.finance_calculato	r.api), 2	
get_ratio_calculator() (in	module
src.finance_calculato	r.api), 2	
get sharpe() (in module si	rc.finance calc	ulator.api),
2	· –	1 //
get_sortino()	(in	module
src.finance_calculato	r.api), 3	
get_treynor()	(in	module
src.finance_calculato	r.api), 3	
<pre>get_upside_capture()</pre>	(in	module
src.finance_calculato	r.api), 3	
get_volatility()	(in	module
src.finance_calculato	r.api), 4	
get_xirr() (in module src.f	inance_calcula	tor.api), 4

S

src.finance_calculator.api (module), 1